

Surtec's 2051-S surface mount boxes are composed of flame retardant materials. Both Cat.5e and Cat.6 PCB modules are available to fulfill your different requirements.

**Features / Applications:**

1. UL 1863 Safety Listed
2. UL94V-0 fire retardant plastic
3. Standard Category 5e and Category 6 PCB modules inserted
4. Customized colors available



**2051S-51**

Angled 1-port unshielded Cat.5e PCB module surface mount box

\*Meets Cat.5e component level requirements

**Ordering Information**

Item(s) / Polybag	Items/Inner box	Items/Outer box
1	30	120
Color	Customized colors available	



**2051S-52**

Angled 2-port unshielded Cat.5e PCB module surface mount box

\*Meets Cat.5e component level requirements

**Ordering Information**

Item(s) / Polybag	Items/Inner box	Items/Outer box
1	30	120
Color	Customized colors available	



### 2051S-61

**Angled 1-port unshielded Cat.6 PCB module surface mount box**

**\*\*Meets Cat.6 channel and permanent link performance requirements**

#### Ordering Information

Item(s) / Polybag	Items/Inner box	Items/Outer box
1	30	120
Color	Customized colors available	



### 2051S-62

**Angled 2-port unshielded Cat.6 PCB module surface mount box**

**\*\*Meets Cat.6 channel and permanent link performance requirements**

#### Ordering Information

Item(s) / Polybag	Items/Inner box	Items/Outer box
1	30	120
Color	Customized colors available	



### 2051S-51F

**Angled 1-port shielded Cat.5e PCB module surface mount box**

**\*Meets Cat.5e component level requirements**

#### Ordering Information

Item(s) / Polybag	Items/Inner box	Items/Outer box
1	30	120
Color	Customized colors available	



### **2051S-52F**

**Angled 2-port shielded Cat.5e PCB module surface mount box**

**\*Meets Cat.5e component level requirements**

#### **Ordering Information**

Item(s) / Polybag	Items/Inner box	Items/Outer box
<b>1</b>	<b>30</b>	<b>120</b>
<b>Color</b>	<b>Customized colors available</b>	



### **2051S-61F**

**Angled 1-port shielded Cat.6 PCB module surface mount box**

**\*\*Meets Cat.6 channel and permanent link performance requirements**

#### **Ordering Information**

Item(s) / Polybag	Items/Inner box	Items/Outer box
<b>1</b>	<b>30</b>	<b>120</b>
<b>Color</b>	<b>Customized colors available</b>	



### **2051S-62F**

**Angled 2-port shielded Cat.6 PCB module surface mount box**

**\*\*Meets Cat.6 channel and permanent link performance requirements**

#### **Ordering Information**

Item(s) / Polybag	Items/Inner box	Items/Outer box
<b>1</b>	<b>30</b>	<b>120</b>
<b>Color</b>	<b>Customized colors available</b>	